


한화 Carpet Tile

Hanwha Carpet Tile Collections Environmental Solutions 카펫타일

PP




HC 915



HC 995



HC 5021



HC 997



HC 812



HC 5022



HC 815



HC 837



HC 5023



HC 841



HC 853



HC 5024

Solid

Graphic

NYLON



HC 7681



HC 7683



HC 7663




HC 7202



HC 7206




HC 7667



HC 5893



HC 5892



HC 7668


Dignity collection



ML 103



ML 106




HC 7064




ML 111




ML 112



HC 7061



ML 120



ML 122



HC 7072



ML 109



ML 115



HC 7077

Mineral

Crossing in time
space cloud



제품 Grade별 규격

Grade	PP Solid		PP Graphic	NYLON Graphic		
	HC-900	HC-800	HC-5020	Mineral	HC-7060 HC-7070	HC-5800 HC-7200/7600
규격	500 x 500	500 x 500	500 x 500	500 x 500	500 x 500	500 x 500
파일형태	Level Loop	Level Loop	Multi-Level Loop (Graphic Type)	Level Loop (Graphic Type)	Multi-Level Loop (Graphic Type)	Multi-Level Loop (Graphic Type)
원사종류	100% Polypropylene BCF Solution dyed	100% Polypropylene BCF Solution dyed	100% Polypropylene BCF Solution dyed	100% Nylon BCF Solution Dyed	100% Nylon BCF Solution Dyed	100% Nylon6.6 BCF Solution Dyed
파일밀도	Guage	1/10"	1/10"	1/10"	1/10"	1/10", 1/12"
	Stich	12.5	11	10.2	10.0	8.4 ~ 11
두께	6.0mm (±0.5mm)	6.0mm (±0.5mm)	7.0mm (±0.5mm)	6.6mm (±0.5mm)	8.0mm (±0.5mm)	6.0 ~ 8.5mm (±0.5mm)
제품중량(g/㎡)	4,700	4,600	5,200	4,900	5,600 ~ 5,700	4,200 ~ 5,300


공통규격

포장	16 Pcs/Box (4㎡)
Backing	PET Non-woven + Glass Fiber + PVC
대전성	Below 2Kv (KS K 2621)
일광견뢰도	Over Level 4 (KS K 2621)
방염성	잔염시간 <20초, 탄화길이 <10cm

용도

- 사무공간 : 사무실, 입원실, 회의실, 복도
- 상업공간 : 레스토랑, 상가, 전시장
- 교육시설 : 학교, 연구소, 도서관, 연수원
- 기 타 : 호텔, 콘도, 공항, 음식점

Carpet Tile
조직구조도



우수한 품질, 다양한 제품 Solution 제공

경제적인 가격대의 PP제품 및 최고급 나일론 원사 제품까지 다양한 제품군 공급
원색사(Solution dyed) 적용으로 일광/마찰/수분의 내변색성 우수



차별화된 그래픽 패턴

Metalic 원사의 사용으로 신비스러움과 고급스러움의 공존
차별화된 드로잉 제작방법으로 시공 방향과 상관없는 세련되고 트렌디한 공간연출



친환경 건축자재 인증

국내 환경 마크, CRI Green Label plus(미국) 및 Product Certificate
"Excellent"(싱가포르) 인증을 받은 친환경 카페트



Backing에 순수 100% PVC 원료를 사용

안착성과 흡음성 우수
PU/Bitumen Backing 등에서 나오는 먼지/냄새 발생이 적음



뛰어난 내오염성

특수 오염 처리 (Anti-stain Treatment)를 통하여 내오염성 및 방오성 우수

오염처리방식



ML 103 / ML 122



HC 7061



Hanwha Carpet Tile Collections Creative Environmental Solutions / PP Solid



HC 915



HC 995



HC 997



HC 812



HC 815



HC 837




HC 841




HC 853

Hanwha Carpet Tile Collections Creative Environmental Solutions / PP Graphic



HC 5021



HC 5022




HC 5024




HC 5023


Dignity collection



HC 7064



HC 7061



HC 7072




HC 7077




CROSSING IN TIME

SPACE CLOUD

Dignity collection




ML 122




ML 103



ML 111




ML 112




ML 106



ML 109



ML 115




ML 120


MINERAL



HC 7681



HC 7683



HC 7663



HC 7667



HC 7668



HC 7202




HC 7206



HC 5892



HC 5893





- 본 사 서울특별시 중구 을지로5길 26 미래에셋센터원 7층 한화L&C
상재사업부 타일영업팀 ☎02)6364-7637 Fax: 02)6364-7608
7F, Center1, 26, Eulji-ro 5-gil, Jung-gu, Seoul, 100-210, Korea
- 지 사 경남 : 부산광역시 남구 자성로 152 한일오피스텔 1911호 ☎051-630-8024
경북 : 대구광역시 북구 유통단지로8길 111 ☎053-383-8923
충청 : 대전광역시 서구 문예로 137 KT&G건물 4층 ☎042-486-9101
호남 : 광주광역시 서구 대남대로 465 상공회의소 4층 ☎062-368-8184
- 영업소 마산 : 경상남도 창원시 의창구 창원대로 363번길 22-47 명빌딩 405호 ☎055-265-9562
- 공 장 L-Tech 세종사업장(부강1공장) : 세종시 부강면 부강금호로 37 ☎044-279-8224

고객 상담실 | 수신자 요금부담 080-729-8272

한화 Carpet Tile

Hanwha Carpet Tile Collections Environmental Solutions

카펫타일